

The SAS System

The CONTENTS Procedure

Variables in Creation Order						
#	Variable	Type	Len	Format	Informat	Label
1	studyid	Char	5	\$5.	\$5.	PATHWAYS PARTICIPANT STUDY IDENTIFICATION NUMBER
2	ban_dt	Num	8	BEST.		DATE QUESTIONNAIRE COMPLETED
3	ban_hip_circ_diff	Num	8	BEST.		DIFFERENCE BETWEEN 1ST AND 2ND READINGS OF HIP CIRCUMFERENCE (CENTIMETERS)
4	ban_hip_circ_first	Num	8	BEST.		HIP CIRCUMFERENCE (CENTIMETERS): 1ST READING
5	ban_hip_circ_sec	Num	8	BEST.		HIP CIRCUMFERENCE (CENTIMETERS): 2ND READING
6	ban_hip_circ_third	Num	8	BEST.		HIP CIRCUMFERENCE (CENTIMETERS): 3RD READING
7	ban_hip_cloth	Num	8	BEST.		WHAT TYPE OF CLOTHING WERE THE HIP CIRCUMFERENCE MEASUREMENTS TAKEN OVER?
8	ban_hip_cloth_other	Num	8	BEST.		SPECIFIED SPECIFIC TYPE OF CLOTHING THE HIP CIRCUMFERENCE MEASUREMENTS WERE TAKEN OVER (CODE)
9	ban_hip_clothing	Num	8	BEST.		HIP CIRCUMFERENCE MEASUREMENTS WERE TAKEN OVER CLOTHING
10	ban_hip_difficult	Num	8	BEST.		HIP CIRCUMFERENCE MEASUREMENTS WERE DIFFICULT TO MEASURE
11	ban_hip_unable	Num	8	BEST.		UNABLE TO TAKE SOME/ALL HIP CIRCUMFERENCE MEASUREMENTS
12	ban_ltarm_armpit_circ_diff	Num	8	BEST.		DIFFERENCE BETWEEN 1ST AND 2ND READINGS OF LEFT ARM CIRCUMFERENCE IMMEDIATELY BENEATH THE ARMPIT (CENTIMETERS)
13	ban_ltarm_armpit_circ_first	Num	8	BEST.		LEFT ARM CIRCUMFERENCE IMMEDIATELY BENEATH THE ARMPIT (CENTIMETERS): 1ST READING
14	ban_ltarm_armpit_circ_sec	Num	8	BEST.		LEFT ARM CIRCUMFERENCE IMMEDIATELY BENEATH THE ARMPIT (CENTIMETERS): 2ND READING
15	ban_ltarm_armpit_circ_third	Num	8	BEST.		LEFT ARM CIRCUMFERENCE IMMEDIATELY BENEATH THE ARMPIT (CENTIMETERS): 3RD READING

The SAS System

The CONTENTS Procedure

Variables in Creation Order						
#	Variable	Type	Len	Format	Informat	Label
16	ban_ltarm_arpmit_cloth	Num	8	BEST.		WHAT TYPE OF CLOTHING WERE THE LEFT ARM CIRCUMFERENCE IMMEDIATELY BENEATH THE ARMPIT MEASUREMENTS TAKEN OVER?
17	ban_ltarm_arpmit_cloth_other	Num	8	BEST.		SPECIFIED SPECIFIC TYPE OF CLOTHING THE LEFT ARM CIRCUMFERENCE IMMEDIATELY BENEATH THE ARMPIT MEASUREMENTS WERE TAKEN OVER (CODE)
18	ban_ltarm_arpmit_clothing	Num	8	BEST.		LEFT ARM CIRCUMFERENCE IMMEDIATELY BENEATH THE ARMPIT MEASUREMENTS WERE TAKEN OVER CLOTHING
19	ban_ltarm_arpmit_difficult	Num	8	BEST.		LEFT ARM CIRCUMFERENCE IMMEDIATELY BENEATH THE ARMPIT MEASUREMENTS WERE DIFFICULT TO MEASURE
20	ban_ltarm_arpmit_unable	Num	8	BEST.		UNABLE TO TAKE SOME/ALL LEFT ARM CIRCUMFERENCE IMMEDIATELY BENEATH THE ARMPIT MEASUREMENTS
21	ban_ltarm_elbarmpit_cloth	Num	8	BEST.		WHAT TYPE OF CLOTHING WERE THE LENGTH OF LEFT ARM BETWEEN THE TWO BOUNDING CIRCUMFERENCES (ELBOW AND ARMPIT) MEASUREMENTS TAKEN OVER?
22	ban_ltarm_elbarmpit_cloth_other	Num	8	BEST.		SPECIFIED SPECIFIC TYPE OF CLOTHING THE LENGTH OF LEFT ARM BETWEEN THE TWO BOUNDING CIRCUMFERENCES (ELBOW AND ARMPIT) MEASUREMENTS WERE TAKEN OVER (CODE)
23	ban_ltarm_elbarmpit_clothing	Num	8	BEST.		LENGTH OF LEFT ARM BETWEEN THE TWO BOUNDING CIRCUMFERENCES (ELBOW AND ARMPIT) MEASUREMENTS WERE TAKEN OVER CLOTHING
24	ban_ltarm_elbarmpit_difficult	Num	8	BEST.		LENGTH OF LEFT ARM BETWEEN THE TWO BOUNDING CIRCUMFERENCES (ELBOW AND ARMPIT) MEASUREMENTS WERE DIFFICULT TO MEASURE
25	ban_ltarm_elbarmpit_length_diff	Num	8	BEST.		DIFFERENCE BETWEEN 1ST AND 2ND READINGS OF LENGTH OF LEFT ARM BETWEEN THE TWO BOUNDING CIRCUMFERENCES (ELBOW AND ARMPIT) (CENTIMETERS)
26	ban_ltarm_elbarmpit_length_first	Num	8	BEST.		LENGTH OF LEFT ARM BETWEEN THE TWO BOUNDING CIRCUMFERENCES (ELBOW AND ARMPIT) (CENTIMETERS): 1ST READING

The SAS System

The CONTENTS Procedure

Variables in Creation Order						
#	Variable	Type	Len	Format	Informat	Label
27	ban_ltarm_elbarmpit_length_sec	Num	8	BEST.		LENGTH OF LEFT ARM BETWEEN THE TWO BOUNDING CIRCUMFERENCES (ELBOW AND ARMPIT) (CENTIMETERS): 2ND READING
28	ban_ltarm_elbarmpit_length_third	Num	8	BEST.		LENGTH OF LEFT ARM BETWEEN THE TWO BOUNDING CIRCUMFERENCES (ELBOW AND ARMPIT) (CENTIMETERS): 3RD READING
29	ban_ltarm_elbarmpit_unable	Num	8	BEST.		UNABLE TO TAKE SOME/ALL LENGTH OF LEFT ARM BETWEEN THE TWO BOUNDING CIRCUMFERENCES (ELBOW AND ARMPIT) MEASUREMENTS
30	ban_ltarm_elbow_circ_diff	Num	8	BEST.		DIFFERENCE BETWEEN 1ST AND 2ND READINGS OF LEFT ELBOW JOINT CIRCUMFERENCE (CENTIMETERS)
31	ban_ltarm_elbow_circ_first	Num	8	BEST.		LEFT ELBOW JOINT CIRCUMFERENCE (CENTIMETERS): 1ST READING
32	ban_ltarm_elbow_circ_sec	Num	8	BEST.		LEFT ELBOW JOINT CIRCUMFERENCE (CENTIMETERS): 2ND READING
33	ban_ltarm_elbow_circ_third	Num	8	BEST.		LEFT ELBOW JOINT CIRCUMFERENCE (CENTIMETERS): 3RD READING
34	ban_ltarm_elbow_cloth	Num	8	BEST.		WHAT TYPE OF CLOTHING WERE THE LEFT ELBOW JOINT CIRCUMFERENCE MEASUREMENTS TAKEN OVER?
35	ban_ltarm_elbow_cloth_other	Num	8	BEST.		SPECIFIED SPECIFIC TYPE OF CLOTHING THE LEFT ELBOW JOINT CIRCUMFERENCE MEASUREMENTS WERE TAKEN OVER (CODE)
36	ban_ltarm_elbow_clothing	Num	8	BEST.		LEFT ELBOW JOINT CIRCUMFERENCE MEASUREMENTS WERE TAKEN OVER CLOTHING
37	ban_ltarm_elbow_difficult	Num	8	BEST.		LEFT ELBOW JOINT CIRCUMFERENCE MEASUREMENTS WERE DIFFICULT TO MEASURE
38	ban_ltarm_elbow_unable	Num	8	BEST.		UNABLE TO TAKE SOME/ALL LEFT ELBOW JOINT CIRCUMFERENCE MEASUREMENTS
39	ban_ltarm_wrist_circ_diff	Num	8	BEST.		DIFFERENCE BETWEEN 1ST AND 2ND READINGS OF LEFT WRIST CIRCUMFERENCE (CENTIMETERS)
40	ban_ltarm_wrist_circ_first	Num	8	BEST.		LEFT WRIST CIRCUMFERENCE (CENTIMETERS): 1ST READING

The SAS System

The CONTENTS Procedure

Variables in Creation Order						
#	Variable	Type	Len	Format	Informat	Label
41	ban_ltarm_wrist_circ_sec	Num	8	BEST.		LEFT WRIST CIRCUMFERENCE (CENTIMETERS): 2ND READING
42	ban_ltarm_wrist_circ_third	Num	8	BEST.		LEFT WRIST CIRCUMFERENCE (CENTIMETERS): 3RD READING
43	ban_ltarm_wrist_cloth	Num	8	BEST.		WHAT TYPE OF CLOTHING WERE THE LEFT WRIST CIRCUMFERENCE MEASUREMENTS TAKEN OVER?
44	ban_ltarm_wrist_cloth_other	Num	8	BEST.		SPECIFIED SPECIFIC TYPE OF CLOTHING THE LEFT WRIST CIRCUMFERENCE MEASUREMENTS WERE TAKEN OVER (CODE)
45	ban_ltarm_wrist_clothing	Num	8	BEST.		LEFT WRIST CIRCUMFERENCE MEASUREMENTS WERE TAKEN OVER CLOTHING
46	ban_ltarm_wrist_difficult	Num	8	BEST.		LEFT WRIST CIRCUMFERENCE MEASUREMENTS WERE DIFFICULT TO MEASURE
47	ban_ltarm_wrist_unable	Num	8	BEST.		UNABLE TO TAKE SOME/ALL LEFT WRIST CIRCUMFERENCE MEASUREMENTS
48	ban_ltarm_wristelb_cloth	Num	8	BEST.		WHAT TYPE OF CLOTHING WERE THE LENGTH OF LEFT ARM BETWEEN THE TWO BOUNDING CIRCUMFERENCES (WRIST AND ELBOW) MEASUREMENTS TAKEN OVER?
49	ban_ltarm_wristelb_cloth_other	Num	8	BEST.		SPECIFIED SPECIFIC TYPE OF CLOTHING THE LENGTH OF LEFT ARM BETWEEN THE TWO BOUNDING CIRCUMFERENCES (WRIST AND ELBOW) MEASUREMENTS WERE TAKEN OVER (CODE)
50	ban_ltarm_wristelb_clothing	Num	8	BEST.		LENGTH OF LEFT ARM BETWEEN THE TWO BOUNDING CIRCUMFERENCES (WRIST AND ELBOW) MEASUREMENTS WERE TAKEN OVER CLOTHING
51	ban_ltarm_wristelb_difficult	Num	8	BEST.		LENGTH OF LEFT ARM BETWEEN THE TWO BOUNDING CIRCUMFERENCES (WRIST AND ELBOW) MEASUREMENTS WERE DIFFICULT TO MEASURE
52	ban_ltarm_wristelb_length_diff	Num	8	BEST.		DIFFERENCE BETWEEN 1ST AND 2ND READINGS OF LENGTH OF LEFT ARM BETWEEN THE TWO BOUNDING CIRCUMFERENCES (WRIST AND ELBOW) (CENTIMETERS)

The SAS System

The CONTENTS Procedure

Variables in Creation Order						
#	Variable	Type	Len	Format	Informat	Label
53	ban_ltarm_wristelb_length_first	Num	8	BEST.		LENGTH OF LEFT ARM BETWEEN THE TWO BOUNDING CIRCUMFERENCES (WRIST AND ELBOW) (CENTIMETERS): 1ST READING
54	ban_ltarm_wristelb_length_sec	Num	8	BEST.		LENGTH OF LEFT ARM BETWEEN THE TWO BOUNDING CIRCUMFERENCES (WRIST AND ELBOW) (CENTIMETERS): 2ND READING
55	ban_ltarm_wristelb_length_third	Num	8	BEST.		LENGTH OF LEFT ARM BETWEEN THE TWO BOUNDING CIRCUMFERENCES (WRIST AND ELBOW) (CENTIMETERS): 3RD READING
56	ban_ltarm_wristelb_unable	Num	8	BEST.		UNABLE TO TAKE SOME/ALL LENGTH OF LEFT ARM BETWEEN THE TWO BOUNDING CIRCUMFERENCES (WRIST AND ELBOW) MEASUREMENTS
57	ban_questlang	Num	8	BEST.		QUESTIONNAIRE LANGUAGE
58	ban_rtarm_armpit_circ_diff	Num	8	BEST.		DIFFERENCE BETWEEN 1ST AND 2ND READINGS OF RIGHT ARM CIRCUMFERENCE IMMEDIATELY BENEATH THE ARMPIT (CENTIMETERS)
59	ban_rtarm_armpit_circ_first	Num	8	BEST.		RIGHT ARM CIRCUMFERENCE IMMEDIATELY BENEATH THE ARMPIT (CENTIMETERS): 1ST READING
60	ban_rtarm_armpit_circ_sec	Num	8	BEST.		RIGHT ARM CIRCUMFERENCE IMMEDIATELY BENEATH THE ARMPIT (CENTIMETERS): 2ND READING
61	ban_rtarm_armpit_circ_third	Num	8	BEST.		RIGHT ARM CIRCUMFERENCE IMMEDIATELY BENEATH THE ARMPIT (CENTIMETERS): 3RD READING
62	ban_rtarm_armpit_cloth	Num	8	BEST.		WHAT TYPE OF CLOTHING WERE THE RIGHT ARM CIRCUMFERENCE IMMEDIATELY BENEATH THE ARMPIT MEASUREMENTS TAKEN OVER?
63	ban_rtarm_armpit_cloth_other	Num	8	BEST.		SPECIFIED SPECIFIC TYPE OF CLOTHING THE RIGHT ARM CIRCUMFERENCE IMMEDIATELY BENEATH THE ARMPIT MEASUREMENTS WERE TAKEN OVER (CODE)
64	ban_rtarm_armpit_clothing	Num	8	BEST.		RIGHT ARM CIRCUMFERENCE IMMEDIATELY BENEATH THE ARMPIT MEASUREMENTS WERE TAKEN OVER CLOTHING

The SAS System

The CONTENTS Procedure

Variables in Creation Order						
#	Variable	Type	Len	Format	Informat	Label
65	ban_rtarm_armpit_difficult	Num	8	BEST.		RIGHT ARM CIRCUMFERENCE IMMEDIATELY BENEATH THE ARMPIT MEASUREMENTS WERE DIFFICULT TO MEASURE
66	ban_rtarm_armpit_unable	Num	8	BEST.		UNABLE TO TAKE SOME/ALL RIGHT ARM CIRCUMFERENCE IMMEDIATELY BENEATH THE ARMPIT MEASUREMENTS
67	ban_rtarm_elbarmpit_cloth	Num	8	BEST.		WHAT TYPE OF CLOTHING WERE THE LENGTH OF RIGHT ARM BETWEEN THE TWO BOUNDING CIRCUMFERENCES (ELBOW AND ARMPIT) MEASUREMENTS TAKEN OVER?
68	ban_rtarm_elbarmpit_cloth_other	Num	8	BEST.		SPECIFIED SPECIFIC TYPE OF CLOTHING THE LENGTH OF RIGHT ARM BETWEEN THE TWO BOUNDING CIRCUMFERENCES (ELBOW AND ARMPIT) MEASUREMENTS WERE TAKEN OVER (CODE)
69	ban_rtarm_elbarmpit_clothing	Num	8	BEST.		LENGTH OF RIGHT ARM BETWEEN THE TWO BOUNDING CIRCUMFERENCES (ELBOW AND ARMPIT) MEASUREMENTS WERE TAKEN OVER CLOTHING
70	ban_rtarm_elbarmpit_difficult	Num	8	BEST.		LENGTH OF RIGHT ARM BETWEEN THE TWO BOUNDING CIRCUMFERENCES (ELBOW AND ARMPIT) MEASUREMENTS WERE DIFFICULT TO MEASURE
71	ban_rtarm_elbarmpit_length_diff	Num	8	BEST.		DIFFERENCE BETWEEN 1ST AND 2ND READINGS OF LENGTH OF RIGHT ARM BETWEEN THE TWO BOUNDING CIRCUMFERENCES (ELBOW AND ARMPIT) (CENTIMETERS)
72	ban_rtarm_elbarmpit_length_first	Num	8	BEST.		LENGTH OF RIGHT ARM BETWEEN THE TWO BOUNDING CIRCUMFERENCES (ELBOW AND ARMPIT) (CENTIMETERS): 1ST READING
73	ban_rtarm_elbarmpit_length_sec	Num	8	BEST.		LENGTH OF RIGHT ARM BETWEEN THE TWO BOUNDING CIRCUMFERENCES (ELBOW AND ARMPIT) (CENTIMETERS): 2ND READING
74	ban_rtarm_elbarmpit_length_third	Num	8	BEST.		LENGTH OF RIGHT ARM BETWEEN THE TWO BOUNDING CIRCUMFERENCES (ELBOW AND ARMPIT) (CENTIMETERS): 3RD READING

The SAS System

The CONTENTS Procedure

Variables in Creation Order						
#	Variable	Type	Len	Format	Informat	Label
75	ban_rtarm_elbarmpit_unable	Num	8	BEST.		UNABLE TO TAKE SOME/ALL LENGTH OF RIGHT ARM BETWEEN THE TWO BOUNDING CIRCUMFERENCES (ELBOW AND ARMPIT) MEASUREMENTS
76	ban_rtarm_elbow_circ_diff	Num	8	BEST.		DIFFERENCE BETWEEN 1ST AND 2ND READINGS OF RIGHT ELBOW JOINT CIRCUMFERENCE (CENTIMETERS)
77	ban_rtarm_elbow_circ_first	Num	8	BEST.		RIGHT ELBOW JOINT CIRCUMFERENCE (CENTIMETERS): 1ST READING
78	ban_rtarm_elbow_circ_sec	Num	8	BEST.		RIGHT ELBOW JOINT CIRCUMFERENCE (CENTIMETERS): 2ND READING
79	ban_rtarm_elbow_circ_third	Num	8	BEST.		RIGHT ELBOW JOINT CIRCUMFERENCE (CENTIMETERS): 3RD READING
80	ban_rtarm_elbow_cloth	Num	8	BEST.		WHAT TYPE OF CLOTHING WERE THE RIGHT ELBOW JOINT CIRCUMFERENCE MEASUREMENTS TAKEN OVER?
81	ban_rtarm_elbow_cloth_other	Num	8	BEST.		SPECIFIED SPECIFIC TYPE OF CLOTHING THE RIGHT ELBOW JOINT CIRCUMFERENCE MEASUREMENTS WERE TAKEN OVER (CODE)
82	ban_rtarm_elbow_clothing	Num	8	BEST.		RIGHT ELBOW JOINT CIRCUMFERENCE MEASUREMENTS WERE TAKEN OVER CLOTHING
83	ban_rtarm_elbow_difficult	Num	8	BEST.		RIGHT ELBOW JOINT CIRCUMFERENCE MEASUREMENTS WERE DIFFICULT TO MEASURE
84	ban_rtarm_elbow_unable	Num	8	BEST.		UNABLE TO TAKE SOME/ALL RIGHT ELBOW JOINT CIRCUMFERENCE MEASUREMENTS
85	ban_rtarm_wrist_circ_diff	Num	8	BEST.		DIFFERENCE BETWEEN 1ST AND 2ND READINGS OF RIGHT WRIST CIRCUMFERENCE (CENTIMETERS)
86	ban_rtarm_wrist_circ_first	Num	8	BEST.		RIGHT WRIST CIRCUMFERENCE (CENTIMETERS): 1ST READING
87	ban_rtarm_wrist_circ_sec	Num	8	BEST.		RIGHT WRIST CIRCUMFERENCE (CENTIMETERS): 2ND READING
88	ban_rtarm_wrist_circ_third	Num	8	BEST.		RIGHT WRIST CIRCUMFERENCE (CENTIMETERS): 3RD READING

The SAS System

The CONTENTS Procedure

Variables in Creation Order						
#	Variable	Type	Len	Format	Informat	Label
89	ban_rtarm_wrist_cloth	Num	8	BEST.		WHAT TYPE OF CLOTHING WERE THE RIGHT WRIST CIRCUMFERENCE MEASUREMENTS TAKEN OVER?
90	ban_rtarm_wrist_cloth_other	Num	8	BEST.		SPECIFIED SPECIFIC TYPE OF CLOTHING THE RIGHT WRIST CIRCUMFERENCE MEASUREMENTS WERE TAKEN OVER (CODE)
91	ban_rtarm_wrist_clothing	Num	8	BEST.		RIGHT WRIST CIRCUMFERENCE MEASUREMENTS WERE TAKEN OVER CLOTHING
92	ban_rtarm_wrist_difficult	Num	8	BEST.		RIGHT WRIST CIRCUMFERENCE MEASUREMENTS WERE DIFFICULT TO MEASURE
93	ban_rtarm_wrist_unable	Num	8	BEST.		UNABLE TO TAKE SOME/ALL RIGHT WRIST CIRCUMFERENCE MEASUREMENTS
94	ban_rtarm_wristelb_cloth_other	Num	8	BEST.		SPECIFIED SPECIFIC TYPE OF CLOTHING THE LENGTH OF RIGHT ARM BETWEEN THE TWO BOUNDING CIRCUMFERENCES (WRIST AND ELBOW) MEASUREMENTS WERE TAKEN OVER (CODE)
95	ban_rtarm_wristelb_clothing	Num	8	BEST.		WHAT TYPE OF CLOTHING WERE THE LENGTH OF RIGHT ARM BETWEEN THE TWO BOUNDING CIRCUMFERENCES (WRIST AND ELBOW) MEASUREMENTS TAKEN OVER?
96	ban_rtarm_wristelb_difficult	Num	8	BEST.		LENGTH OF RIGHT ARM BETWEEN THE TWO BOUNDING CIRCUMFERENCES (WRIST AND ELBOW) MEASUREMENTS WERE DIFFICULT TO MEASURE
97	ban_rtarm_wristelb_length_diff	Num	8	BEST.		DIFFERENCE BETWEEN 1ST AND 2ND READINGS OF LENGTH OF RIGHT ARM BETWEEN THE TWO BOUNDING CIRCUMFERENCES (WRIST AND ELBOW) (CENTIMETERS)
98	ban_rtarm_wristelb_length_first	Num	8	BEST.		LENGTH OF RIGHT ARM BETWEEN THE TWO BOUNDING CIRCUMFERENCES (WRIST AND ELBOW) (CENTIMETERS): 1ST READING
99	ban_rtarm_wristelb_length_sec	Num	8	BEST.		LENGTH OF RIGHT ARM BETWEEN THE TWO BOUNDING CIRCUMFERENCES (WRIST AND ELBOW) (CENTIMETERS): 2ND READING

The SAS System

The CONTENTS Procedure

Variables in Creation Order						
#	Variable	Type	Len	Format	Informat	Label
100	ban_rtarm_wristelb_length_third	Num	8	BEST.		LENGTH OF RIGHT ARM BETWEEN THE TWO BOUNDING CIRCUMFERENCES (WRIST AND ELBOW) (CENTIMETERS): 3RD READING
101	ban_rtarm_wristelb_unable	Num	8	BEST.		UNABLE TO TAKE SOME/ALL LENGTH OF RIGHT ARM BETWEEN THE TWO BOUNDING CIRCUMFERENCES (WRIST AND ELBOW) MEASUREMENTS
102	ban_waist_circ_diff	Num	8	BEST.		DIFFERENCE BETWEEN 1ST AND 2ND READINGS OF WAIST CIRCUMFERENCE (CENTIMETERS)
103	ban_waist_circ_first	Num	8	BEST.		WAIST CIRCUMFERENCE (CENTIMETERS): 1ST READING
104	ban_waist_circ_sec	Num	8	BEST.		WAIST CIRCUMFERENCE (CENTIMETERS): 2ND READING
105	ban_waist_circ_third	Num	8	BEST.		WAIST CIRCUMFERENCE (CENTIMETERS): 3RD READING
106	ban_waist_cloth	Num	8	BEST.		WHAT TYPE OF CLOTHING WERE THE WAIST CIRCUMFERENCE MEASUREMENTS TAKEN OVER?
107	ban_waist_cloth_other	Num	8	BEST.		SPECIFIED SPECIFIC TYPE OF CLOTHING THE WAIST CIRCUMFERENCE MEASUREMENTS WERE TAKEN OVER (CODE)
108	ban_waist_clothing	Num	8	BEST.		WAIST CIRCUMFERENCE MEASUREMENTS WERE TAKEN OVER CLOTHING
109	ban_waist_difficult	Num	8	BEST.		WAIST CIRCUMFERENCE MEASUREMENTS WERE DIFFICULT TO MEASURE
110	ban_waist_unable	Num	8	BEST.		UNABLE TO TAKE SOME/ALL WAIST CIRCUMFERENCE MEASUREMENTS